

List of indigenous/low water use species

PENRITH CITY COUNCIL

| Botanical Name | Common Name | Soil Type | | | | | Landscape Use | | | Plant Characteristics | | | | | |
|----------------------------------|-------------------------|-----------|------|----------|---------------------|-------------------|----------------|-----------|-----------------|-----------------------|-----------------------------|---------------|-----------------|----------------|--|
| | | Sandstone | Clay | Riparian | Coastal & estuarine | Tertiary Alluvium | Shade tolerant | Screening | Bird attracting | Showy flowers | Interesting fruit/seed pods | Rare/uncommon | Height - metres | Width - metres | |
| Trees | | | | | | | | | | | | | | | |
| <i>Angophora bakeri</i> | Narrow Leaved Apple | * | | | | * | | * | * | | | | 3-6 | 2-4 | |
| <i>Angophora floribunda</i> | Rough Barked Apple | * | * | | | | | * | * | | * | | 8-20 | 4-10 | |
| <i>Angophora subvelutina</i> | Broad Leaved Apple | | * | * | | | | | * | | | | 25 | | |
| <i>Backhousia myrtifolia</i> | Grey Myrtle | * | * | * | | | | | | | * | | 3-4 | | |
| <i>Casuarina cunninghamiana</i> | River She Oak | | * | * | | | | * | | | | | 20-35 | | |
| <i>Casuarina glauca</i> | Swamp Oak | * | * | * | | | | * | * | | * | | 4-8 | 3-4 | |
| <i>Corymbia eximia</i> | Yellow Bloodwood | * | | | | | | | | | | | | | |
| <i>Eucalyptus tereticornis</i> | Forest Red Gum | | * | | | | | * | | | | | 15-35 | 6-12 | |
| <i>Eucalyptus amplifolia</i> | Cabbage Gum | | * | * | | | | * | | | | | 10-20 | 4-8 | |
| <i>Eucalyptus benthamii</i> | Camden White Gum | | * | | | | | * | | | * | | 20-30 | | |
| <i>Eucalyptus crebra</i> | Narrow leaved Ironbark | | * | | | | | * | * | | | | 20-30 | | |
| <i>Eucalyptus eugenoides</i> | Thin Leaved Stringybark | | * | | | | | * | | | | | 12-20 | 5-10 | |
| <i>Eucalyptus fibrosa</i> | Broad-leaved Ironbark | | * | | | * | | | | | | | 35 | 5-10 | |
| <i>Eucalyptus longifolia</i> | Woollybutt | | * | | | | | * | | * | * | | 14-20 | 5-10 | |
| <i>Eucalyptus moluccana</i> | Grey Box | | * | | | | | | | | | | 20-25 | 6-8 | |
| <i>Eucalyptus parramattensis</i> | Parramatta Red Gum | | | | | * | | | | * | | | 5-15 | | |
| <i>Eucalyptus punctata</i> | Grey Gum | * | * | | | | | * | | | | | 10-25 | 5-8 | |
| <i>Eucalyptus sclerophylla</i> | Scribbly Gum | | | | | * | | * | | | * | | 15 | | |

Penrith

| | | | | | | | | | | | | | | | |
|--|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---------|------|--|
| <i>Melaleuca decora</i> | White Feather Honeymyrtle | | * | | | | * | | * | * | | | 6-20 | 5-10 | |
| <i>Tristaniopsis laurina</i> | Water Gum | * | | * | | | * | * | | * | | | 3-10 | 3-5 | |
| Shrubs | | | | | | | | | | | | | | | |
| <i>Acacia falcata</i> | | | * | | | | | | * | | * | | 1.5-3 | 1-2 | |
| <i>Acacia implexa</i> | Hickory | * | * | | | | * | | | * | | | 4-10 | | |
| <i>Banksia serrata</i> | Old Man Banksia | * | | | | | | | * | * | * | | 4-16 | 2-5 | |
| <i>Bursaria spinosa</i> | Blackthorn | | * | * | | * | | | * | | | | 2-3 | 1 | |
| <i>Daviesia genistifolia</i> | | | * | | | | | | | | | * | 1-2 | | |
| <i>Daviesia ulicifolia</i> | | | * | | | | | * | | | | | 1.5 | 0.5 | |
| <i>Grevillea juniperina</i> | | | * | | | * | | | | * | | * | 1-2 | | |
| <i>Hibbertia diffusa</i> | | | * | * | | * | | | | | | | 0.5 | | |
| <i>Leptospermum trinervium</i> | Paperbark Tea Tree | | | | | * | | | * | | | | 2 | 1.5 | |
| <i>Persoonia nutans</i> | | | * | | | * | | | | | | | 1 | | |
| Ground Covers / Scramblers | | | | | | | | | | | | | | | |
| <i>Brunoniella australis</i> | Blue Trumpet | | * | * | | | * | | | * | | | 0.1-0.3 | x | |
| <i>Clematis aristata</i> | Old Man's Beard | * | * | | | | | | | * | * | | | | |
| <i>Dichondra repens</i> | Kidney Weed | * | * | | | * | * | | | | | | 0.1 | x | |
| <i>Goodenia hederacea var hederacea</i> | Violet Leaved Goodenia | * | * | | | | | | | | | | 0.2 | 0.5 | |
| <i>Pratia purpurascens</i> | | * | * | * | | * | * | | | | | | 0.1 | x | |
| Ferns | | | | | | | | | | | | | | | |
| <i>Adiantum aethiopicum</i> | Madenhair Fern | * | * | * | | | * | | | | | | 0.3 | x | |
| <i>Cheilanthes sieberi ssp. Sieberi</i> | Mulga Fern | * | * | | | * | * | | | | | | 0.1-0.3 | x | |
| Grasses / Tufted Plants | | | | | | | | | | | | | | | |
| <i>Cymbopogon refractus</i> | Barbed Wire Grass | * | * | | | | | | | | * | | 0.5 | 0.5 | |
| <i>Danthonia racemosa</i> | Wallaby Grass | | * | | | | | | | | * | | 0.5-0.7 | 0.1 | |
| <i>Danthonia tenuior</i> | Wallaby Grass | * | * | | | | | | | | * | | 0.5-0.7 | 0.1 | |
| <i>Eleocharis sphacelata</i> | Tall Spike Rush | * | * | | | | | | * | | | | 1 | x | |
| <i>Juncus usitatus</i> | Common Rush | * | * | * | * | * | | | | | | | 0.6 | 0.5 | |
| <i>Lomandra longifolia</i> | Spiny Mat Rush | * | * | * | * | | * | | | | | | 1 | 1.5 | |
| <i>Lomandra multiflora ssp. multiflora</i> | | * | * | | | * | | | | | | | 0.3 | 0.2 | |
| <i>Oplismenus aemulus</i> | Basket Grass | | * | * | | | * | | | | | | 0.3 | 0.1 | |
| <i>Persicaria hydropiper</i> | Water Pepper | | | * | | | | | | | * | * | 1 | | |

Penrith

| | | | | | | | | | | | | | | | | |
|--------------------------|----------------|---|---|---|---|--|--|--|--|--|--|--|--|-----|-----|--|
| <i>Themeda australis</i> | Kangaroo Grass | * | * | * | * | | | | | | | | | 0.5 | 0.5 | |
| | | | | | | | | | | | | | | | | |