

List of indigenous/low water use species

CANTERBURY CITY COUNCIL

Botanical Name	Common Name	Soil Type					Landscape Use			Plant Characteristics				
		Sandstone	Clay	Riparian	Coastal & estuarine	Tertiary Alluvium	Shade tolerant	Screening	Bird attracting	Showy flowers	Interesting fruit/seed pods	Rare/uncommon	Height - metres	Width - metres
Trees														
<i>Allocasuarina littoralis</i>	Black She Oak	*	*			*		*	*		*		4-6	3
<i>Allocasuarina torulosa</i>	Forest Oak	*						*	*		*		5-8	2-3
<i>Angophora costata</i>	Smooth Barked Apple	*						*	*	*			8-20	5-10
<i>Corymbia gummifera</i>	Red Bloodwood	*						*	*	*			3-15	3-10
<i>Eucalyptus capitellata</i>	Brown Stringybark	*						*					4-15	3-8
<i>Eucalyptus fibrosa</i>	Broad-leaved Ironbark		*			*							35	5-10
<i>Eucalyptus paniculata</i>	Grey Ironbark	*						*					15-30	8-15
<i>Eucalyptus pilularis</i>	Blackbutt	*						*					15-30	8-10
<i>Eucalyptus piperita</i>	Sydney Peppermint	*						*					15-25	8-12
<i>Eucalyptus punctata</i>	Grey Gum	*						*					10-25	5-8
<i>Eucalyptus resinifera</i>	Red Mahogany		*					*					6-25	4-10
<i>Eucalyptus robusta</i>	Swamp Mahogany	*						*	*	*			10-20	4-8
<i>Eucalyptus saligna</i>	Sydney Blue Gum	*						*			*		15-30	5-12
<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark		*								*		30-40	8-10
<i>Eucalyptus tereticornis</i>	Forest Red Gum		*					*					15-35	6-12
<i>Glochidion ferdinandi</i>	Cheese Tree	*		*			*			*			5-10	4-8
<i>Melaleuca decora</i>	White Feather Honeymyrtle		*	*			*		*	*			6-20	5-10
<i>Melaleuca nodosa</i>	Ball Honeymyrtle	*	*					*	*	*	*		6	2

<i>Melaleuca styphelioides</i>	Prickly-leaved Paperbark	*	*					*					4-8	2-5
<i>Syncarpia glomulifera</i>	Turpentine		*						*		*		15-25	5-8
Shrubs														
<i>Acacia falcata</i>			*						*		*		1.5-3	1-2
<i>Acacia floribunda</i>	White Sallow Wattle	*	*			*	*	*	*	*	*		2-4	2-3
<i>Bursaria spinosa</i>	Blackthorn		*	*		*		*					2-3	1
<i>Daviesia ulicifolia</i>			*					*					1.5	0.5
<i>Dillwynia parvifolia</i>			*							*	*		0.3-1	0.5
<i>Dodonaea triquetra</i>	Common Hop Bush	*	*					*		*			1-2	1
<i>Kunzea ambigua</i>	Tick Bush	*											2-4	2
<i>Lasiopetalum parviflorum</i>		*	*								*		0.5-1	0.3
<i>Ozothamnus diosmifolius</i>	Everlasting	*	*	*		*							2	1
<i>Pultenaea villosa</i>			*					*	*				1-1.5	1
<i>Rapanea variabilis</i>	Mutton Wood	*	*			*	*	*					2-3	1
Ground Covers / Scramblers														
<i>Centella asiatica</i>		*	*			*							0.1	x
<i>Dichondra repens</i>	Kidney Weed	*	*		*	*							0.1	x
<i>Hardenbergia violacea</i>	False Sardaparilla	*	*							*				
<i>Pandorea Pandorana</i>	Wonga Wonga Vine	*	*			*	*		*					
<i>Pratia purpurascens</i>		*	*	*		*							0.1	x
<i>Pseuderanthemum variabile</i>	Pastel Flower	*	*			*			*				0.1-0.3	0.1
Ferns														
<i>Adiantum aethiopicum</i>	Madenhair Fern	*	*	*		*							0.3	x
<i>Cheilanthes sieberi</i> ssp. <i>Sieberi</i>	Mulga Fern	*	*		*	*							0.1-0.3	x
<i>Gleichenia dicarpa</i>	Pouched Coral Fern	*				*	*						1-2	x
<i>Asplenium austlasicum</i>														
<i>Cyathea cooperi</i>														
<i>Platycterium bifuratum</i>														
<i>Blechnum nudum</i>														
Grasses / Tufted Plants														
<i>Dianella caerulea</i> s. lat	Blue Flax Lily	*				*		*	*	*			0.5	0.5
<i>Dianella longifolia</i>		*	*					*	*	*			0.8	0.2

